

DISSOLUTION TESTERS

VISION[®] G2 CLASSIC 6™

US
PATENT

The Vision[®] G2 Classic 6™

is the compact, rugged workhorse sibling to the Vision G2 Elite 8. Named in honor of the world's first dissolution tester, a six-position test station introduced by Hanson Research in 1969, the G2 Classic 6 is precision engineered to ease the rigors of manual dissolution testing. The G2 Classic 6 meets and exceeds worldwide standards including compliance with USP, FDA, ASTM, EP, JP, CE, CSA, RoHS, and 21 CFR Part 11.

FEATURES:

- Award-winning design (2 across x 3 deep) provides easy access to all vessels
- Compact footprint saves valuable bench space
- 6-position Easi-Lock™ vessel plate ensures proper vessel centering
- Superior coating protects vessel plate from corrosion
- Fixed drive head guarantees repeatable, drive head positioning
- No tools or adjustments needed to switch among USP App. 1, 2, 5, 6, and 150 mL and 250 mL small volumes
- “Quick Test” feature begins tests immediately with the push of a button
- Adaptable for automated sampling



VISION G2 DISSOLUTION TESTERS

Vision G2 dissolution testers are designed with over 60 years of dissolution expertise and know-how. The **modular design** is **plug-and-play ready** making these systems upgradeable or automated without the need for separate firmware. They come standard with a **full color touchscreen** and **intuitive menus**, giving users the confidence of precision control for speeds **25-250 rpm** and temperature **25-55 °C**. Powerful programming, backed by a robust security system for **25 users**, features the ability to create up to **100 unique protocols** that can be conveniently **transferred by flash drive** to other Vision G2 testers, resulting in higher throughput and sample analysis.

OTHER NOTABLE VISION FEATURES:

- Easy to operate
- Customizable reports that allow users to define the report style
- Hand-held digital temperature probe for convenient use in vessels and waterbath
- Quick, no-tools-needed access to internal components for time-saving maintenance
- Low variation in spindle speed: 0.6 rpm max (typical performance)
- Independent Vision[®] heater circulator with low vibration and space-saving location
- Molded waterbath with fast heat-up & low level drain
- Rugged, chip-proof vessels
- Free technical support for the life of the instrument
- Numerous user-defined configurations for ultimate control and flexibility, including user-defined speed and temperature tolerances, alarms, and much more!



9810 Variel Avenue
Chatsworth, CA 91311 USA

Toll Free: 800.821.8165
Phone: 818.882.7266

Fax: 818.882.9470
www.hansonresearch.com

VISION® G2 CLASSIC 6™



ACCESSORY OPTIONS

- Easy-Lock™ USP 1 L precision vessels
- Detachable USP paddles and baskets with spin-shafts
- ASTM Certificate of Conformity included with USP accessories
- Easi-Lock™ vessel covers
- ADD™ (Auto-Dosage Delivery) vessel covers
- Fixed vessel-mount sample probes with cartridge filter options
- Wide choice of filters (tip, cartridge, and in-line)
- In-line filter block kit (for manual and automated sampling)
- Print to both serial and network (PostScript) printers
- USP Apparatus 5 paddle over disk
- USP Apparatus 6 rotating cylinder
- Small volume vessels using "mini paddle" or "mini basket"
- Immersion cell for semisolids (small volume)
- Precision calibration tools
- Hanson Q-Pak™ functional validation guideline (USP & ASTM)
- HRCare™ IQ / OQ / PQ validation and support program
- Media-prep and deaeration with Hanson Media-Mate Plus™

ORDERING INFO

For more information, please contact your local Hanson representative or email us at:

sales@hansonresearch.com

74-201-006 Vision G2 Classic 6 Dissolution Tester



9810 Variel Avenue
Chatsworth, CA 91311 USA

Toll Free: 800.821.8165
Phone: 818.882.7266

Fax: 818.882.9470
www.hansonresearch.com

VISION[®] G2 ELITE 8™

The Vision[®] G2 Elite 8™

is a versatile performance machine, built with the highest quality components and engineering. The G2 Elite 8's ergonomic design and workhorse performance make it ideal for automation and extended applications as well as for 8-sample manual testing. The G2 Elite 8 meets and exceeds worldwide standards including compliance with USP, US FDA, ASTM, EP, JP, CE, CSA, RoHS, and 21 CFR Part 11.

FEATURES:

- Scalable design easily configured for automated, hands-free sampling
- 8-position Easi-Lock™ vessel plate ensures proper vessel centering
- Superior coating protects vessel plate from corrosion
- Easi-Lift™ drive head with multi-lock positions allows for quick, repeatable position changes
- No tools or adjustments needed to switch among USP App. 1, 2, 5, 6, and 150 mL and 250 mL small volumes
- Can be configured for unattended automatic introduction of the dosage form when media has reached the user-specified temperature or time
- "Quick Test" feature begins tests immediately with the push of a button
- Optional Auto-Probes reduce hydrodynamic interference by automatically exiting the vessels after sampling, unlike stationary probes that remain in the vessel throughout the dissolution process



VISION G2 DISSOLUTION TESTERS

Vision G2 dissolution testers are designed with over 60 years of dissolution expertise and know-how. The **modular design** is **plug-and-play ready** making these systems upgradeable or automated without the need for separate firmware. They come standard with a **full color touchscreen and intuitive menus**, giving users the confidence of precision control for speeds **25-250 rpm** and temperature **25-55 °C**. Powerful programming, backed by a robust security system for **25 users**, features the ability to create up to **100 unique protocols** that can be conveniently **transferred by flash drive** to other Vision G2 testers, resulting in higher throughput and sample analysis.

OTHER NOTABLE VISION FEATURES:

- Easy to operate
- Customizable reports that allow users to define the report style
- Hand-held digital temperature probe for convenient use in vessels and waterbath
- Quick, no-tools-needed access to internal components for time-saving maintenance
- Low variation in spindle speed: 0.6 rpm max (typical performance)
- Independent Vision[®] heater circulator with low vibration and space-saving location
- Molded waterbath with fast heat-up & low level drain
- Rugged, chip-proof vessels
- Free technical support for the life of the instrument
- Numerous user-defined configurations for ultimate control and flexibility, including user-defined speed and temperature tolerances, alarms, and much, more!



ACCESSORY OPTIONS

- Easy-Lock™ USP 1 L precision vessels
- Detachable USP paddles and baskets with spin-shafts
- ASTM Certificate of Conformity included with USP accessories
- Easi-Lock™ vessel covers
- ADD™ (Auto-Dosage Delivery) vessel covers
- Fixed vessel-mount sample probes with cartridge filter options
- Wide choice of filters (tip, cartridge, and in-line)
- In-line filter block kit (for manual and automated sampling)
- Print to both serial and network (PostScript) printers
- USP Apparatus 5 paddle over disk
- USP Apparatus 6 rotating cylinder
- Small volume vessels using "mini paddle" or "mini basket"
- Immersion cell for semisolids (small volume)
- Precision calibration tools
- Hanson Q-Pak™ functional validation guideline (USP & ASTM)
- HRCare™ IQ / OQ / PQ validation and support program
- Media-prep and deaeration with Hanson Media-Mate Plus™
- 2 L "high stand" for large volume testing
- AutoMag™ (for 1 L and 2 L autosampling)
- SuperMag™ (switchable for 1 L and small volume autosampling)
- Inert easy-change sample probes for AutoMag™ & SuperMag™
- Digital Temperature Probe (DTPs) for each vessel (DTPs are ordered with AutoMag™ and SuperMag™)

ORDERING INFO

For more information, please contact your local Hanson representative or email us at:

sales@hansonresearch.com

74-101-008 Vision G2 Elite 8 Dissolution Tester, 1 L
74-101-018 Vision G2 Elite 8 Dissolution Tester, 2 L



9810 Variel Avenue
Chatsworth, CA 91311 USA

Toll Free: 800.821.8165
Phone: 818.882.7266

Fax: 818.882.9470
www.hansonresearch.com